Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (Currently Amended) An adhesive composition obtained by mixing:
- 100 parts by weight of at least one organic polymer (A) having moisture cross-linkable reactive silane terminal functions, and
- 1 to 70 parts by weight of at least one organic polymer (B) comprising no reactive silane functions, which

wherein the organic polymer (B) is miscible at ambient temperature with polymer (A), and is selected from among comprises a polyesters, a polyethers, a polyurethanes, polyaerylates, a polyethylenediimines, a polycarbonates, a polyureas, or a polyamides or mixtures thereof.

- (Currently Amended) The adhesive composition as claimed in of claim 1,
 characterized in that wherein the organic polymer (A) is selected from among—the following polymer chains comprises:
- (1) homopolymers and copolymers obtained from at least one monomer of the alkyl (meth)acrylate type comprising an alkyl radical having between 1 and 15, preferably between 1 and 10, carbon atoms;
- (2) polyoxyalkylenes of molecular masses of between ranging from 500 and to 30,000, preferably between 3000 and 15,000;
- (3) polyurethanes obtained by condensation of a polyol, preferably of the polyether and/or polyester-type, with polyisocyanates.

Application No. 10/596,408 Attorney Docket No. 66857,000003

- 3. (Currently Amended) The adhesive composition as elaimed in of claim 2, eharacterized in that wherein the copolymers (1) are obtained from other monomers[,] such as including styrene derivatives, vinyl ethers, or (meth)acrylic acids, which may be used in eontents of amounts up to 50% by weight relative to the combined total weight of the monomers.
- (Currently Amended) The adhesive composition as claimed in of claim 2, characterized in that wherein the polyoxyalkylenes (2) are polyoxyethylenes or polyoxypropylenes.
- (Currently Amended) The adhesive composition as-claimed in one of claims 1 to 4 of claim 1, characterized in that wherein the organic polymer (A) comprises at least one hydrolyzable silicon-containing group.
- 6. (Currently Amended) The adhesive composition as claimed in of claim 5, eharacterized in that wherein the hydrolyzable silicon-containing group is a silyl group of the formula:

 $-Si(R_a)X_{3-a}$

in which:

- a is an integer ranging from 0 to 2,
- R is a monovalent hydrocarbon radical and

Application No. 10/596,408 Attorney Docket No. 66857.000003

- X is a hydrolyzable radical.

- (Currently Amended) The adhesive composition as claimed in one of claims 1 to 6 of claim 1, characterized in that wherein the organic polymer (B) is selected from among comprises a polyesters, a polyurethanes and a polyethylenediimines, or mixtures thereof.
- (Currently Amended) The adhesive composition as claimed in one of claims 1 to 7 of claim 1, characterized in that wherein the polymer (B) is at least partially crystalline.
- (Currently Amended) The adhesive composition as claimed in one of claims 1 to 8 of claim 1, characterized in that wherein the polymer (B) has a mean molecular mass of between ranging from 500 and to 1,000,000, preferably between 2000 and 100,000, and more preferably between 2500 and 50,000.
- 10. (Currently Amended) The adhesive composition as claimed in one of claims 1 to 9 of claim 1, characterized in that wherein the quantity of polymer (B) is between ranges from 3 and to 50 parts per 100 parts of (A).
- (New) The adhesive composition of claim 2, wherein the polyoxyalkylenes have molecular masses ranging from 3,000 to 15,000;

- (New) The adhesive composition of claim 2, wherein the polyurethanes are of the
 polyether and/or polyester type.
- 13. (New) The adhesive composition of claim 2, wherein the polyoxyalkylenes have molecular masses ranging from 3,000 to 15,000, and the polyurethanes are of the polyether and/or polyester type.
- 14. (New) The adhesive composition of claim 9, wherein the polymer (B) has a mean molecular mass ranging from 2,000 to 100,000.
- (New) The adhesive composition of claim 15, wherein the polymer (B) has a mean molecular mass ranging from 2.500 to 50.000.
- 16. (New) An adhesive composition comprising:
 - 100 parts by weight of at least one organic polymer (A) having moisture cross-linkable reactive silane terminal functions, and
- 1 to 70 parts by weight of at least one organic polymer (B) comprising no reactive silane functions,

wherein the organic polymer (B) is miscible at ambient temperature with polymer (A), and comprises a polyester, a polyether, a polyurethane, a polyethylenediimine, a polycarbonate, a polyurea, a polyamide, or mixtures thereof.

- 17. (New) An adhesive composition obtainable by mixing:
 - 100 parts by weight of at least one organic polymer (A) having moisture cross-linkable reactive silane terminal functions, and
- 1 to 70 parts by weight of at least one organic polymer (B) comprising no reactive silane functions.

wherein the organic polymer (B) is miscible at ambient temperature with polymer (A), and comprises a polyester, a polyether, a polyurethane, a polyethylenediimine, a polycarbonate, a polyurea, a pol